

Task will be to first pitch, then plan and create assets for, and finally develop a small video game prototype. Your game must not be based on any existing artistic works or media, such as film, television, games, stories, or characters. It must be your own original creation based on a provided randomly generated Scenario.

```
<!DOCTYPE html>
```

```
<!-- saved from url=(0014)about:internet -->
```

```
<html xmlns:msxsl="urn:schemas-microsoft-com:xslt"><head><meta content="en-us" http-equiv="Content-Language" /><meta content="text/html; charset=utf-16" http-equiv="Content-Type" /><title _locID="ConversionReport0">
```

```
    Migration Report
```

```
</title><style>
```

```
    /* Body style, for the entire document */
```

```
    body
```

```
    {
```

```
        background: #F3F3F4;
```

```
        color: #1E1E1F;
```

```
        font-family: "Segoe UI", Tahoma, Geneva, Verdana, sans-serif;
```

```
        padding: 0;
```

```
        margin: 0;
```

```
    }
```

```
    /* Header1 style, used for the main title */
```

```
    h1
```

```
    {
```

```
        padding: 10px 0px 10px 10px;
```

```
        font-size: 21pt;
```

```
        background-color: #E2E2E2;
```

```
        border-bottom: 1px #C1C1C2 solid;
```

```
        color: #201F20;
```

```
margin: 0;
font-weight: normal;
}

/* Header2 style, used for "Overview" and other sections */
h2
{
font-size: 18pt;
font-weight: normal;
padding: 15px 0 5px 0;
margin: 0;
}

/* Header3 style, used for sub-sections, such as project name */
h3
{
font-weight: normal;
font-size: 15pt;
margin: 0;
padding: 15px 0 5px 0;
background-color: transparent;
}

/* Color all hyperlinks one color */
a
{
color: #1382CE;
}
```

```
/* Table styles */  
table  
{  
    border-spacing: 0 0;  
    border-collapse: collapse;  
    font-size: 10pt;  
}  
  
table th  
{  
    background: #E7E7E8;  
    text-align: left;  
    text-decoration: none;  
    font-weight: normal;  
    padding: 3px 6px 3px 6px;  
}  
  
table td  
{  
    vertical-align: top;  
    padding: 3px 6px 5px 5px;  
    margin: 0px;  
    border: 1px solid #E7E7E8;  
    background: #F7F7F8;  
}
```

/* Local link is a style for hyperlinks that link to file:/// content, there are lots so color them as 'normal' text until the user mouse overs */

.localLink

```
{  
  color: #1E1E1F;  
  background: #EEEEED;  
  text-decoration: none;  
}
```

.localLink:hover

```
{  
  color: #1382CE;  
  background: #FFFF99;  
  text-decoration: none;  
}
```

/* Center text, used in the over views cells that contain message level counts */

.textCentered

```
{  
  text-align: center;  
}
```

/* The message cells in message tables should take up all available space */

.messageCell

```
{  
  width: 100%;  
}
```

```
/* Padding around the content after the h1 */
```

```
#content
```

```
{  
    padding: 0px 12px 12px 12px;  
}
```

```
/* The overview table expands to width, with a max width of 97% */
```

```
#overview table
```

```
{  
    width: auto;  
    max-width: 75%;  
}
```

```
/* The messages tables are always 97% width */
```

```
#messages table
```

```
{  
    width: 97%;  
}
```

```
/* All Icons */
```

```
.IconSuccessEncoded, .IconInfoEncoded, .IconWarningEncoded, .IconErrorEncoded
```

```
{  
    min-width:18px;  
    min-height:18px;  
    background-repeat:no-repeat;  
    background-position:center;  
}
```

/* Success icon encoded */

.IconSuccessEncoded

{

/* Note: Do not delete the comment below. It is used to verify the correctness of the encoded image resource below before the product is released */

/* [---XsltValidateInternal-Base64EncodedImage:IconSuccess#Begin#background-image: url(data:image/png;base64,#Separator#);#End#] */

background-image:

url();

}

/* Information icon encoded */

.IconInfoEncoded

{

/* Note: Do not delete the comment below. It is used to verify the correctness of the encoded image resource below before the product is released */

/* [---XsltValidateInternal-Base64EncodedImage:IconInformation#Begin#background-image: url(data:image/png;base64,#Separator#);#End#] */

background-image:

url();

}

/* Warning icon encoded */

```

.IconWarningEncoded
{
    /* Note: Do not delete the comment below. It is used to verify the correctness of the
    encoded image resource below before the product is released */

    /* [---XsltValidateInternal-Base64EncodedImage:IconWarning#Begin#background-image:
    url(data:image/png;base64,#Separator#);#End#] */

    background-image:
    url(
    AA7EAAAOxAGVKw4bAAAAx0IEQVR4XpWSMQ7CMAxFf4xAyBMLCxMrO8dhaBcuwdCJS3RJBw7SA/QGTC
    xdWJgiQYWkXJWKIXHIIyw5lqr34tQgEOdcBsCOx5yZK3hCCKdYXneQkh4pEfzLfu+wVDSyzzFoJfz9NB+pAF
    +eizx2Vruts0k15mPgvS6GYvpVtQhB61IB/dk6AF6fS4Ben0uIX5odtFe8Q/eW1KvFeH4e8khT6+gm5B+t3juy
    Dt7n0jpe+CANTd+oTUjN/U3yVaABnSujFz/gFq44JaVSCXeQAAAABJRu5ErkJggg==);

}

/* Error icon encoded */

.IconErrorEncoded
{
    /* Note: Do not delete the comment below. It is used to verify the correctness of the
    encoded image resource below before the product is released */

    /* [---XsltValidateInternal-Base64EncodedImage:IconError#Begin#background-image:
    url(data:image/png;base64,#Separator#);#End#] */

    background-image:
    url(
    qWTvUoEQRCE6wYPZUA80AfwAQz23uCMjA7MDRQEIzPBVEyNTQUFIw00vcQTTMzuAh/AxEQQT8HF/3G
    /oGGnEUGuoNnd6qoZuqItyKEsyZVJq5I6rnUp6SjGeGhESikzzlc1eL7opfuVbrqbU1Zw9NCgtQMaZpY0eNna
    aL2fHusvTK5vKu7sjSS1Y4y3QUA6K3e3Mau5UFDyMP7tYF9o8cAHZv68vipoIJg971PZIZ5HiwdvYGGvFVFH
    mGmZ2MxwmQYPXubPI9Up0tfoMQGetXd6mRbvHbw+boZ6WF7Mbv1+GsHRk0fQmPAH1GfmZirbCfDJ61
    tw3Px8/8pZsPAG4jIvhcPgZ7adwNWBB68IkRQWFiTgFlbnLY3DGGM7izIJyT/jjlvEJw6fdJTc6krDzh6aMwMP
    9bvDH4ADSsa9uSWVJkAAAAASUVORK5CYII=);

}

</style><script type="text/javascript" language="javascript">

// Startup

// Hook up the the loaded event for the document/window, to linkify the document content

```

```
var startupFunction = function() { linkifyElement("messages"); };

if(window.attachEvent)
{
    window.attachEvent('onload', startupFunction);
}
else if (window.addEventListener)
{
    window.addEventListener('load', startupFunction, false);
}
else
{
    document.addEventListener('load', startupFunction, false);
}

// Toggles the visibility of table rows with the specified name
function toggleTableRowsByName(name)
{
    var allRows = document.getElementsByTagName('tr');
    for (i=0; i < allRows.length; i++)
    {
        var currentName = allRows[i].getAttribute('name');
        if(!currentName && currentName.indexOf(name) == 0)
        {
            var isVisible = allRows[i].style.display == "";
            isVisible ? allRows[i].style.display = 'none' : allRows[i].style.display = "";
        }
    }
}
```

```
}
```

```
function scrollToFirstVisibleRow(name)
```

```
{
```

```
  var allRows = document.getElementsByTagName('tr');
```

```
  for (i=0; i < allRows.length; i++)
```

```
  {
```

```
    var currentName = allRows[i].getAttribute('name');
```

```
    var isVisible = allRows[i].style.display == "";
```

```
    if(!currentName && currentName.indexOf(name) == 0 && isVisible)
```

```
    {
```

```
      allRows[i].scrollIntoView(true);
```

```
      return true;
```

```
    }
```

```
  }
```

```
  return false;
```

```
}
```

```
// Linkifies the specified text content, replaces candidate links with html links
```

```
function linkify(text)
```

```
{
```

```
  if(!text || 0 === text.length)
```

```
  {
```

```
    return text;
```

```
  }
```

```
// Find http, https and ftp links and replace them with hyper links
```

```
var urlLink = /(http|https|ftp)\:\/\/[a-zA-Z0-9\-\.\+&%\$#\=\~;\{\}\})*\/?([a-zA-Z0-9\-\.\+&%\$#\=\~;\{\}\})*\/gi;
```

```
return text.replace(urlLink, '<a href="$&">$&</a>');
```

```
}
```

```
// Linkifies the specified element by ID
```

```
function linkifyElement(id)
```

```
{
```

```
var element = document.getElementById(id);
```

```
if(!element)
```

```
{
```

```
element.innerHTML = linkify(element.innerHTML);
```

```
}
```

```
}
```

```
function ToggleMessageVisibility(projectName)
```

```
{
```

```
if(!projectName || 0 === projectName.length)
```

```
{
```

```
return;
```

```
}
```

```
toggleTableRowsByName("MessageRowClass" + projectName);
```

```
toggleTableRowsByName('MessageRowHeaderShow' + projectName);
```

```
toggleTableRowsByName('MessageRowHeaderHide' + projectName);
```

```
}
```

```

function ScrollToFirstVisibleMessage(projectName)
{
    if(!projectName || 0 === projectName.length)
    {
        return;
    }

```

```

    // First try the 'Show messages' row

```

```

    if(!scrollToFirstVisibleRow('MessageRowHeaderShow' + projectName))

```

```

    {

```

```

        // Failed to find a visible row for 'Show messages', try an actual message row

```

```

        scrollToFirstVisibleRow('MessageRowClass' + projectName);

```

```

    }

```

```

}

```

```

</script></head><body><h1 _locID="ConversionReport">

```

```

    Migration Report - </h1><div id="content"><h2 _locID="OverviewTitle">Overview</h2><div
id="overview"><table><tr><th></th><th _locID="ProjectTableHeader">Project</th><th
_locID="PathTableHeader">Path</th><th _locID="ErrorsTableHeader">Errors</th><th
_locID="WarningsTableHeader">Warnings</th><th
_locID="MessagesTableHeader">Messages</th></tr><tr><td class="IconErrorEncoded"
/><td><strong><a href="#Assembly-CSharp">Assembly-CSharp</a></strong></td><td>Assembly-
CSharp.csproj</td><td class="textCentered"><a href="#Assembly-CSharpError">1</a></td><td
class="textCentered"><a href="#">0</a></td><td class="textCentered"><a href="#">0</a></td></tr><tr><td
class="IconErrorEncoded" /><td><strong><a href="#Assembly-CSharp-Editor">Assembly-CSharp-
Editor</a></strong></td><td>Assembly-CSharp-Editor.csproj</td><td class="textCentered"><a
href="#Assembly-CSharp-EditorError">1</a></td><td class="textCentered"><a href="#">0</a></td><td
class="textCentered"><a href="#">0</a></td></tr><tr><td class="IconSuccessEncoded"
/><td><strong><a href="#Solution"><span
_locID="OverviewSolutionSpan">Solution</span></a></strong></td><td>StudentID-
GameName.sln</td><td class="textCentered"><a href="#">0</a></td><td
class="textCentered"><a href="#">0</a></td><td class="textCentered"><a href="#"
onclick="ScrollToFirstVisibleMessage('Solution'); return false;">1</a></td></tr></table></div><h2
_locID="SolutionAndProjectsTitle">Solution and projects</h2><div id="messages"><a name="Assembly-
CSharp" /><h3>Assembly-CSharp</h3><table><tr id="Assembly-CSharpHeaderRow"><th></th><th
class="messageCell" _locID="MessageTableHeader">Message</th></tr><tr
name="ErrorRowClassAssembly-CSharp"><td class="IconErrorEncoded"><a name="Assembly-
CSharpError" /></td><td class="messageCell"><strong>Assembly-CSharp.csproj:

```

The application which this project type is based on was not found. Please try this link for further information:

<http://go.microsoft.com/fwlink/?LinkID=299083&projecttype=E097FAD1-6243-4DAD-9C02-E9B9EFC3FFC1>

Message
 Assembly-CSharp-Editor.csproj

The application which this project type is based on was not found. Please try this link for further information:

<http://go.microsoft.com/fwlink/?LinkID=299083&projecttype=E097FAD1-6243-4DAD-9C02-E9B9EFC3FFC1>

Solution
 Show additional messages
 StudentID-GameName.sln
 The solution file does not require migration.
 Hide additional messages

Show 1 additional messages

Hide 1 additional messages

Assignment Help Provider